

1 **CLAIMS**

2 1. A method comprising:  
3 assigning a plurality of devices to a group;  
4 assigning at least one event-handling policy to the group, wherein the  
5 assigned policy is associated with each of the plurality of devices in the group; and  
6 evaluating a current state of each device before the assigned policy is  
7 applied to the device.

8  
9 2. A method as recited in claim 1 wherein evaluating a current state of  
10 each device determines whether each device is currently a member of the group.

11  
12 3. A method as recited in claim 1 wherein evaluating a current state of  
13 each device includes:

14 determining whether a particular device is currently a member of the group;  
15 and

16 applying the assigned policy to the particular device if the particular device  
17 is currently a member of the group.

18  
19 4. A method as recited in claim 1 wherein each device is assigned at  
20 least one additional policy that is not assigned to the group.

21  
22 5. A method as recited in claim 1 wherein a particular device is assigned  
23 to multiple groups.  
24  
25

1           6.    A method as recited in claim 1 wherein the event-handling policy  
2 defines how the device is configured.

3  
4           7.    A method as recited in claim 1 wherein the event-handling policy  
5 identifies the types of events that are provided to each device.

6  
7           8.    A method as recited in claim 1 wherein the method is implemented  
8 by a management module.

9  
10          9.    One or more computer-readable memories containing a computer  
11 program that is executable by a processor to perform the method recited in claim  
12 1.

13  
14          10.   An apparatus comprising:  
15           a group of devices having an associated event-handling policy;  
16           an event log configured to store event data; and  
17           a management module coupled to the group of devices and the event log,  
18 wherein a current state of each device in the group of devices is evaluated by the  
19 management module before the event-handling policy is applied to the device.

20  
21          11.   An apparatus as recited in claim 10 wherein a plurality of groups of  
22 devices are coupled to the management module.

1           12.    An apparatus as recited in claim 10 wherein each device in the  
2 group of devices is assigned at least one policy that is not assigned to the group.

3  
4           13.    An apparatus as recited in claim 10 wherein the event-handling  
5 policy defines how the devices are configured.

6  
7           14.    An apparatus as recited in claim 10 wherein the event-handling  
8 policy identifies the types of events that are provided to each device.

9  
10          15.    An apparatus as recited in claim 10 wherein the apparatus is part of  
11 an enterprise computing system.

12  
13          16.    An apparatus as recited in claim 10 wherein the management  
14 module receives event data generated by a plurality of event providers.

15  
16          17.    An apparatus as recited in claim 10 wherein the management  
17 module determines whether a particular device is currently a member of the group  
18 before the event-handling policy is applied to the device.

1       **18.** One or more computer-readable media having stored thereon a  
2 computer program that, when executed by one or more processors, performs the  
3 process of:

4           assigning a plurality of devices to a group;  
5           identifying an event-handling policy associated with the group of devices;  
6           assigning the event-handling policy to the group of devices; and  
7           evaluating a current state of each device before the assigned event-handling  
8 policy is applied to the device.

9  
10       **19.** One or more computer-readable media as recited in claim 18  
11 wherein a particular device is assigned to multiple groups of devices.

12  
13       **20.** One or more computer-readable media as recited in claim 18  
14 wherein the event-handling policy defines the type of event data that is provided to  
15 each device.  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25